

CONTENTS

Click page number to be taken there directly





PACKAGING & POINT OF SALE

A big emphasis is placed on producing high quality product packaging and point of sale, which is eye catching and full of product information.





Diamond Blade Packaging



SDS Drill POS



Reciprocating Blade POS






PRODUCT IDENTIFICATION & LABELLING

Clear identification and labelling of products is one of the main priorities.

Each product is assigned a unique specification reference based on the product type and dimensions of the tool.

Product Specification Example:







Material & Product Abbreviation Examples

PWD Α Asphalt Extension Porcelain Wax Drill ΑT A-Taper Pilot Drill НΑ Hex Adaptor SA SDS-Plus Adaptor **Building Materials** Mortar Raking Τ Turbo PCD C Polycrystalline Diamond Concrete

Porcelain Tiles

DIAMOND BLADE MARKINGS EXPLAINED

Dry Core





DIAMOND TOOLS APPLICATION GUIDE

OCCASIONAL USE	АЅРНАІТ	ASPHALT OVER CONCRETE	BRICKS - CLASS A ENGINEERING	BRICKS - CLASS B ENGINEERING	BRICKS - STANDARD FACING	FIBRE CEMENT BOARD & COMPOSITE CLADDING	CLAY PRODUCTS	CONCRETE - BEAMS, KERBS, PIPES & SLABS	CONCRETE BLOCK PAVIOURS	CONCRETE - FLINT AGGREGATE	CONCRETE - GREEN	CONCRETE - HEAVILY REINFORCED	CONCRETE - LIGHTLY REINFORCED	CONCRETE - ROOF TILES	CONCRETE BLOCKS - LIGHTWEIGHT	CONCRETE BLOCKS - MEDIUM DENSITY 7 - 12 NEWTON	CONCRETE BLOCKS - HEAVY DUTY 12+ NEWTON	CEMENT SCREED	EXTERIOR PORCELAIN	FIBRE GLASS & GRP	GRANITE STONE	LIMESTONE	MORTAR RAKING	SANDSTONE - ABRASIVE & GRITSTONE	SANDSTONE - INDIAN	TILES - CERAMIC	TILES - GRANITE	TILES - INTERIOR PORCELAIN	TILES - NATURAL STONE	моор	YORK STONE
PRODUCT SPECIFICATION	8	ă	ä	ä	ä	正	₫	ŏ	ŏ	ŏ	ŏ	ŭ	ŏ	ŏ	ŏ	ŭ	ŏ	Ü	û	正	ō		Σ	ζ	/5	F	F	F	F	3	×
DIAMOND BLADES																															
STB-10																															
STT-10																															
STC-15																															
STA-12																															
STPT-8																															
STM-10																															
FIBRE CEMENT BOARD																															
ST-PCD																															
DIAMOND DRILLING																															
STDC-10																															
STDC-12 & STDC-9 (Sets)																															П
ST-PWD																															

STB-10



BUILDING MATERIALS

Designed to cut popular building materials fast and efficiently, the STB-10 offers superb value for money on a cost per cut basis. Ideal for costing in to small jobs or if the application cannot be controlled on large sites.

Part No.	Dimensions	List Price
DP14510	115 x 2.2 x 10 x 22.2mm (4 ¹ / ₂ ")	£6.80
DP14511	125 x 2.2 x 10 x 22.2mm (5")	£7.60
DP14512	230 x 2.6 x 10 x 22.2mm (9")	£16.35
DP14514	300 x 2.8 x 10 x 20mm (12")	£27.95

FEATURES:

- 10mm High segments
- Excellent value for money



STT-10



MULTI PURPOSE


TURBO RIM

Offering excellent value for money, the continuous turbo rim is ideal for a clean and fast cut through a wide range of common construction materials, making it ideal for a range of general building and construction applications.

Part No.	Dimensions	List Price
DP14520	115 x 2.0 x 10 x 22.2mm (4 ¹ / ₂ ")	£17.40
DP14521	125 x 2.0 x 10 x 22.2mm (5")	£20.70
DP14522	230 x 2.4 x 10 x 22.2mm (9")	£39.20
DP14523	300 x 3.0 x 10 x 20mm (12")	£69.75

- 10mm High turbo rim
- Cooling holes
- Clean & fast cutting





CONCRETE & BUILDING MATERIALS

15mm HIGH SEGMENTS

The eye catching 15mm high turbo segments offer fast cutting, coupled with long blade life. The STC-15 can be used to cut anything from standard facing bricks to cast concrete making it ideal for construction sites of any size.

Part No.	Dimensions	List Price
DP14498	115 x 2.2 x 15 x 22.2mm (4 ¹ / ₂ ")	£13.00
DP14499	125 x 2.2 x 15 x 22.2mm (5")	£14.55
DP14500	230 x 2.6 x 15 x 22.2mm (9")	£37.05
DP14503	300 x 2.8 x 15 x 20mm (12")	£73.55

FEATURES:

- 15mm High turbo segments
- Cooling holes
- Fast cutting and long life





ASPHALT & ABRASIVE MATERIALS

UNDERCUT PROTECTION

Ideal for utility contractors, civil engineers and general building work, the STA-12 is designed for use on highly abrasive materials such as asphalt, cement screed, lightweight concrete blocks and grit stone.

Part No.	Dimensions	List Price
DP14528	300 x 3.0 x 12 x 20mm (12")	£61.00

- Deep draft segments for steel core protection
- 12mm high segments



STPT-8



INTERIOR TILES

MULTI PURPOSE - INCLUDING PORCELAIN

The STPT-8 continuous rim blade for porcelain and ceramic tiles is ideal for most interior wall and floor tiles. The laser cut expansion slots eliminate blade 'wobble'.

Part No.	Dimensions	List Price
DP14480	115 x 1.4 x 8 x 22.2mm (4 ¹ / ₂ ")	£17.40
DP14481	125 x 1.4 x 8 x 22.2mm (5")	£20.30

FEATURES:

- Super thin 1.4mm wide
- · Laser cut expansion slots



STM-10



MORTAR RAKING

TURBO RIM

The 6mm wide, 10mm high, continuous rim turbo mortar raking blade offers good blade life and a fast speed of cut, providing a good price to performance ratio.

Part No.	Dimensions	List Price
DP14470	115 x 6.0 x 10 x 22.2mm (4 ¹ / ₂ ")	£19.05
DP14474	125 x 6.0 x 10 x 22.2mm (5")	£20.70

- Turbo Rim
- 10mm high rim
- · Value for money







FIBRE CEMENT BOARD

POLYCRYSTALLINE DIAMOND

ST-PCD is a saw blade with solid Polycrystalline Diamond (PCD) teeth that cut effortlessly through cement fibre boards and many other difficult to cut composite panels. They are designed to be used on woodworking machines, such as cordless trim saws, corded circular saws, mitre saws and table saws.

Part No.	Dimensions	List Price
GT30005	160 x 2.0 x 1.4 x 20mm x 4T (6 ¹ / ₄ ")	£52.30
GT30010	184 x 2.4 x 1.8 x 30mm x 4T (7 ¹ / ₄ ")	£72.70
GT30015	215 x 2.4 x 1.8 x 30mm x 6T (8 ¹ / ₂ ")	£135.15

- Solid Polycrystalline Diamond teeth
- Anti kickback design
- Fast cutting



DRY DIAMOND CORES



STDC-10



DRY DIAMOND CORES

BUILDING & ABRASIVE MATERIALS

The SiteTuff range of dry core drills are designed for use on the most common UK construction materials, including facing bricks, concrete blocks and York stone. The counter clockwise spiral on the core body is designed to assist in the dispersal of debris whilst drilling, helping to reduce the risk of the core jamming in the hole.

Part No.	Dimensions	List Price
DC12910	38 x 150mm	£33.45
DC12913	42 x 150mm	£36.35
DC12916	52 x 150mm	£39.95
DC12919	65 x 150mm	£42.15
DC12922	78 x 150mm	£45.75
DC12926	107 x 150mm	£53.80
DC12929	117 x 150mm	£58.15
DC12932	127 x 150mm	£62.50
DC12935	152 x 150mm	£75.30

FEATURES:

- 10mm high segments
- Counter clock wise spiral body
- Competitively priced

DRY DIAMOND CORE ACCESSORIES



Part No.	Description	List Price
DC12886	STDC-HA Hex adaptor c/w drift key	£8.70
DC12887	STDC-SA SDS adaptor c/w drift key	£10.90
DC12888	STDC-AD 10 x 200mm A-taper pilot drill	£4.75
DC12885	STDC-E 1/2" female to 1/2" male extension	£15.25











ST-DC-12



DRY DIAMOND CORE SET

BUILDING & ABRASIVE MATERIALS

This 12 piece set comprises of 5 cores and 7 accessories.

Cores: 42mm, 52mm, 65mm, 117mm and 127mm.

Accessories: Chuck and SDS adaptors, chuck and SDS extensions, A-taper pilot drill, guide rod and drift key, providing everything you need to start dry diamond coring.

Part No.	Description	List Price
DC12864	5 Piece Set c/w 7 accessories	£220.00



ST-DC-9



DRY DIAMOND CORE SET

BUILDING & ABRASIVE MATERIALS

This 9 piece set comprises of 3 cores and 6 accessories.

Cores: 38mm, 52mm and 117mm.

Accessories: Chuck and SDS adaptors, $^{1}/_{2}$ "female to $^{1}/_{2}$ " male 200mm extension, A-taper pilot drill, guide rod and drift key, providing everything you need to start dry diamond coring.

Part No.	Description	List Price
DC12876	3 Piece Set c/w 6 accessories	£152.60







WAX FILLED AUTO-COOL TILE DRILLS

MULTI PURPOSE - INCLUDING PORCELAIN

The ST-PWD wax filled tile drill requires no coolant, such as water. They are designed to drill interior porcelain, ceramic and other wall and floor tiles, cleanly and efficiently.

Part No.	Description	List Price
DP14580	6mm	£18.90
DP14582	7mm	£19.60
DP14583	8mm	£20.35

- Auto cooling
- Vacuum brazed
- High quality diamonds for good life







PRODUCT IDENTIFICATION & LABELLING

Clear identification and labelling of products is one of the main priorities.

Each product is assigned a unique specification reference based on the product type and dimensions of the tool.

Product Specification Example:



PRODUCT TYPE EXPLAINED


Our ST-SDSP Drill Bits have either 2-Cutter or 4-Cutter heads, which denotes the number of high quality tungsten carbide tips.





ST4: 4-CUTTER





Product diameter (Ø 7mm)

The drill spec shows the working length of the drill bit, which is the maximum achievable depth of hole.



INDIVIDUAL DRILL BITS HANGING TAB **LABEL MARKINGS EXPLAINED**

MULTI-PACK DRILL BITS PACKAGING MARKINGS EXPLAINED



ST-SDSP DRILL BITS APPLICATION GUIDE

IDEALLY SUITED

OCCASIONAL USE

ST-SDSP DRILL BITS		
	ST2	ST4
ASPHALT		
ASPHALT OVER CONCRETE		
CAST CONCRETE		
CEMENT SCREED		
CHALK STONE		
CONCRETE - BEAMS, KERBS, PIPES & SLABS		
CONCRETE BLOCK PAVIOURS		
CONCRETE LINTELS		
CONCRETE PIPES		
COTSWOLD STONE		

	ST2	ST4
ENGINEEERING BRICKS		
EXTERIOR RENDER		
FACING BRICKS		
FLINT AGREGATE CONCRETE		
GREEN CONCRETE		
LIMESTONE		
MORTAR		
REINFORCED CONCRETE		
SANDSTONE - ABRASIVE & GRITSTONE		
YORK STONE		

ST-SDSP ST2





SDS PLUS Drill Bits

2-CUTTER / PACK OF 10

Supplied in multi-packs, the ST2 drill bits offer good value for money across a wide range of masonry materials.

- High drilling speed
- Powerful dust rejection spiral ensures smooth and fast drilling

C-5-5-5-5-5-5

Part No.	Diameter	Overall Length	Working Length	List Price
GT40051	5.5mm	160mm	100mm	£30.00
GT40053	6.0mm	160mm	100mm	£30.00
GT40055	7.0mm	160mm	100mm	£33.40
GT40056	7.0mm	210mm	150mm	£42.60
GT40057	8.0mm	160mm	100mm	£33.40
GT40060	10mm	210mm	150mm	£45.95
GT40062	12mm	210mm	150mm	£49.25



ST-SDSP ST4







SDS PLUS Drill Bits

4-CUTTER

The automated copper soldering process used to adhere the high quality tungsten carbide tips gives added strength to the bits, allowing them to perform on tough applications such as concrete, bricks, blocks and natural stone.

- 4-Cutter design for longer life
- Powerful dust rejection, due to a specially engineered spiral design
- Ideal for resin anchors



Part No.	Diameter	Overall Length	Working Length	List Price
GT40205	5.0mm	110mm	50mm	£2.90
GT40206	5.0mm	160mm	100mm	£3.25
GT40208	5.5mm	110mm	50mm	£2.90
GT40209	5.5mm	160mm	100mm	£3.25
GT40211	6.0mm	110mm	50mm	£2.90
GT40212	6.0mm	160mm	100mm	£3.25
GT40213	6.0mm	210mm	150mm	£4.25
GT40214	6.0mm	260mm	200mm	£4.75
GT40216	6.5mm	160mm	100mm	£3.55
GT40217	6.5mm	210mm	150mm	£4.35
GT40218	6.5mm	260mm	200mm	£4.70
GT40220	7.0mm	160mm	100mm	£3.55
GT40221	7.0mm	210mm	150mm	£4.35
GT40222	7.0mm	260mm	200mm	£4.50
GT40224	8.0mm	160mm	100mm	£3.55
GT40225	8.0mm	210mm	150mm	£4.35
GT40226	8.0mm	260mm	200mm	£4.75
GT40228	10mm	160mm	100mm	£4.00
GT40229	10mm	210mm	150mm	£4.75
GT40230	10mm	260mm	200mm	£5.35
GT40231	10mm	460mm	400mm	£8.70
GT40233	10mm	1000mm	940mm	£28.00
GT40234	12mm	160mm	100mm	£4.95
GT40235	12mm	210mm	150mm	£5.15
GT40236	12mm	260mm	200mm	£5.80
GT40238	12mm	460mm	400mm	£9.15

Part No.	Diameter	Overall Length	Working Length	List Price
GT40240	12mm	1000mm	940mm	£28.30
GT40241	14mm	160mm	100mm	£6.40
GT40242	14mm	210mm	150mm	£6.90
GT40243	14mm	260mm	200mm	£7.60
GT40244	14mm	310mm	250mm	£8.35
GT40245	14mm	460mm	400mm	£11.35
GT40246	15mm	260mm	200mm	£8.25
GT40247	16mm	210mm	150mm	£8.50
GT40248	16mm	310mm	250mm	£10.35
GT40249	16mm	460mm	400mm	£15.55
GT40251	16mm	1000mm	940mm	£37.45
GT40252	GT40252 18mm		150mm	£11.00
GT40253	18mm	310mm	250mm	£13.45
GT40254	18mm	460mm	400mm	£17.30
GT40257	GT40257 20mm 2		150mm	£14.55
GT40258	20mm	310mm	250mm	£17.30
GT40259	20mm	460mm	400mm	£21.25
GT40260	20mm	1000mm	940mm	£45.30
GT40262	22mm	260mm	200mm	£19.05
GT40263	22mm	460mm	400mm	£28.90
GT40268	24mm	460mm	400mm	£29.75
GT40273	25mm	460mm	400mm	£29.75
GT40275	25mm	1000mm	940mm	£63.35
GT40280	28mm	350mm	290mm	£34.70
GT40281	28mm	460mm	400mm	£39.10
GT40285	30mm	460mm	400mm	£50.90
GT40289	32mm	460mm	400mm	£56.50







SDS-PLUS POINTS & CHISELS

Manufactured using 40Cr alloy steel for its additional hardness, the SiteTuff range of points and chisels will tackle the toughest of applications.

FEATURES:

• 3 piece set comes in a quality, fabric tidy roll.



Part No.	Description	Overall Length	Working Length	List Price
GT40451	250mm Point	250mm	N/A	£4.70
GT40452	20 x 250mm Chisel	250mm	N/A	£4.70
GT40453	40 x 250mm Wide Chisel	250mm	N/A	£6.70
GT40454	75mm Tile Removing Chisel	240mm	N/A	£23.45
GT40455	22 x 250mm Gouging Chisel	250mm	N/A	£7.65
GT40460	3 piece Point & Chisel Set	250mm	N/A	£20.00



ST-SDSP POINTS & CHISELS APPLICATION GUIDE

ST-SDSP POINTS & CHISELS				
FOR USE ON ALL TYPES OF BRICK, BLOCK, GENERAL MASONRY AND CONCRETE				
PART NO.	DESCRIPTION	COMMON USES		
GT40451	250mm Point	Lightweight bursting		
GT40452	20 x 250mm Chisel	Lightweight general demolition, plaster & render removal, wall chasing		
GT40453	40 x 250mm Wide Chisel	Lightweight general demolition, plaster & render removal		
GT40454	75mm Tile Removing Chisel	Tile lifting, plaster & render removal		
GT40455	22 x 250mm Gouging Chisel	Chasing for electrical and plumbing services		
GT40460	3pc Point & Chisel Set	Lightweight bursting and demolition, plaster & render removal, wall chasing		





PRODUCT IDENTIFICATION & LABELLING

Clear identification and labelling of products is one of the main priorities.

Each product is assigned a unique specification reference based on the product type and dimensions of the tool.


PRODUCT SPECIFICATION EXAMPLE:



DDUCT TYPE EXPLAINED

All our ST-SDSM Drill Bits have 4-Cutter heads, which denotes the number of high quality tungsten carbide tips.






The drill spec shows the working length of the drill bit, which is the maximum achievable depth of hole.



INDIVIDUAL DRILL BITS. POINTS & CHISELS HANGING TAB **LABEL MARKINGS EXPLAINED**





ST4 4-CUTTER SDS-MAX DRILL BITS APPLICATION GUIDE



ST-SDSM DRILL BITS			
	ST4		ST4
ASPHALT		ENGINEEERING BRICKS	
ASPHALT OVER CONCRETE		EXTERIOR RENDER	
CAST CONCRETE		FACING BRICKS	
CEMENT SCREED		FLINT AGGREGATE CON	NCRETE
CHALK STONE		GREEN CONCRETE	
CONCRETE - BEAMS, KERBS, PIPES & SLABS		LIMESTONE	
CONCRETE BLOCK PAVIOURS		MORTAR	
CONCRETE LINTELS		REINFORCED CONCRET	E
CONCRETE PIPES		SANDSTONE - ABRASIN	VE & GRITSTONE
COTSWOLD STONE		YORK STONE	

ST-SDSM ST4



SDS-MAX Drill Bits

4-CUTTER

The automated copper soldering process used to adhere the high quality tungsten carbide tips gives added strength to the bits, allowing them to perform on tough applications such as concrete, bricks, blocks and natural stone.

- 4-Cutter design for longer life
- Powerful dust rejection, due to a specially engineered spiral design
- Ideal for resin anchors



Part No.	Diameter	Overall Length	Working Length	List Price
GT40501	12mm	340mm	195mm	£20.20
GT40502	12mm	540mm	395mm	£28.20
GT40505	14mm	340mm	195mm	£22.80
GT40509	16mm	340mm	195mm	£25.15
GT40510	16mm	540mm	395mm	£33.45
GT40514	18mm	340mm	195mm	£27.60
GT40515	18mm	540mm	395mm	£35.75
GT40518	20mm	340mm	195mm	£30.40
GT40519	20mm	540mm	395mm	£41.95
GT40522	22mm	340mm	215mm	£33.45
GT40523	22mm	540mm	415mm	£45.50
GT40526	24mm	340mm	215mm	£35.70
GT40527	24mm	540mm	415mm	£47.85
GT40530	25mm	340mm	215mm	£35.70
GT40531	25mm	540mm	415mm	£47.85
GT40532	25mm	1000mm	870mm	£80.60
GT40535	28mm	570mm	440mm	£67.05
GT40536	28mm	1000mm	870mm	£101.00
GT40539	30mm	570mm	440mm	£82.85
GT40543	32mm	570mm	440mm	£91.40
GT40544	32mm	1000mm	870mm	£127.50
GT40547	35mm	570mm	435mm	£103.05
GT40550	38mm	570mm	435mm	£127.50





ST-SDSM MASONRY Wiew Online

SDS-MAX POINTS & CHISELS

Manufactured using 40Cr alloy steel for its additional hardness, the SiteTuff range of points and chisels will tackle the toughest of applications.

Part No.	Description	Overall Length	Working Length	List Price
GT40465	400mm Point	400mm	N/A	£12.90
GT40466	600mm Point	600mm	N/A	£17.85
GT40467	25 x 400mm Chisel	400mm	N/A	£12.90
GT40468	25 x 600mm Chisel	600mm	N/A	£17.85
GT40469	75 x 400mm Wide Chisel	400mm	N/A	£24.55
GT40470	75 x 600mm Wide Chisel	600mm	N/A	£36.35
GT40471	110 x 460mm Clay Spade	460mm	N/A	£106.25

ST-SDSM POINTS & CHISELS APPLICATION GUIDE

ST-SDSM POINTS & CHISELS			
FOR USE ON ALL TYPES OF BRICK, BLOCK, GENERAL MASONRY AND CONCRETE			
PART NO.	DESCRIPTION	COMMON USES	
GT40465	400mm Point	Medium duty bursting	
GT40466	600mm Point	Medium duty bursting	
GT40467	25 x 400mm Chisel	Medium duty general demolition, plaster & render removal, wall chasing	
GT40468	25 x 600mm Chisel	Medium duty general demolition, plaster & render removal, wall chasing	
GT40469	75 x 400mm Wide Chisel	Medium duty general demolition (larger areas)	
GT40470	75 x 600mm Wide Chisel	Medium duty general demolition (larger areas)	
GT40471	110 x 460mm Clay Spade	Groundworking in clay and other heavy soils	





ST-GSH27



BREAKER STEELS

BOSCH & MAKITA FITTING

The ST-GSH27 range of points and chisels are suitable for use on Bosch GSH27, Bosch GSU2, Bosch 11304 and Makita HM1317CB machines.

FEATURES:

• High grade alloy steel

Part No.	Description	Overall Length	Working Length	List Price
GT40480	400mm Point	400mm	N/A	£30.75
GT40481	33 x 400mm Chisel	400mm	N/A	£30.75
GT40482	75 x 400mm Wide Chisel	400mm	N/A	£35.95
GT40483	115 x 400mm Tarmac Cutter	400mm	N/A	£107.35

ST-GSH27 BREAKER STEELS APPLICATION GUIDE

ST-GSH27 POINTS & CHISELS			
FOR USE ON ALL TYPES OF BRICK, BLOCK, GENERAL MASONRY AND CONCRETE			
PART NO.	DESCRIPTION	COMMON USES	
GT40480	400mm Point	Heavy duty bursting in general masonry and concrete	
GT40481	33 x 400mm Chisel	Heavy duty demolition in general masonry and concrete	
GT40482	75 x 400mm Wide Chisel	Heavy duty demolition (larger area) in general masonry and concrete	
GT40483	115 x 400mm Tarmac Cutter	Asphalt / tarmac cutting	



ST-HEX32



BREAKER STEELS

32 x 160mm / 11/4" FITTING

The ST-HEX32 range of points and chisels are suitable for use on pneumatic, hydraulic and electric machines with a 32 x 160mm fitting ($1^{1}/_{4}$ ")

• High grade alloy steel

Part No.	Description	Overall Length	Working Length	List Price
GT40485	450mm Moil Point	450mm	N/A	£44.20
GT40486	450mm Narrow Chisel	450mm	N/A	£44.20
GT40487	75 x 450mm Wide Chisel	450mm	N/A	£71.00
GT40488	115 x 450mm Tarmac Cutter	450mm	N/A	£88.50

ST-HEX32 BREAKER STEELS APPLICATION GUIDE

ST-HEX32 POINTS & CHISELS			
FOR USE ON ALL TYPES OF BRICK, BLOCK, GENERAL MASONRY AND CONCRETE			
PART NO.	DESCRIPTION	COMMON USES	
GT40485	450mm Moil Point	Heavy duty bursting in general masonry and concrete	
GT40486	450mm Narrow Chisel	Heavy duty demolition in general masonry and concrete	
GT40487	75 x 450mm Wide Chisel	Heavy duty demolition (larger area) in general masonry and concrete	
GT40488	115 x 450mm Tarmac Cutter	Asphalt / tarmac cutting	






PRODUCT IDENTIFICATION & LABELLING

Clear identification and labelling of products is one of the main priorities.

Each product is assigned a unique specification reference based on the product type and dimensions of the tool.

PRODUCT SPECIFICATION EXAMPLE:





MATERIAL & PRODUCT ABBREVIATION EXAMPLES:

RB - Reciprocating Saw Blades BIM - Bi-Metal Carbide - Tungsten Carbide

TPI - Teeth Per Inch HCS - High Carbon Steel Progressive - Increasing Tooth Pitch



ST-RB

RECIPROCATING SAW BLADES APPLICATION GUIDE ION-FERROUS MATERIALS (COPPER / ZINC/LEAD) GLASS-FIBRE REINFORCED PLASTIC (GRP IDEALLY SUITED **MEDIUM DENSITY FIBREBOARD (MDF)** STEEL SECTION (PIPE / ANGLE / BOX) **BUILDING BLOCKS** OCCASIONAL USE REE PRUNING / GREEN WOOD VOOD - CLEAN HARD WOOD CONSTRUCTION TIMBER VAIL EMBEDDED WOOD **WOOD - CLEAN SOFT** IGHTWEIGHT CASTIRON PLASTIC PART NO. PRODUCT SPECIFICATION **METAL CUTTING** ST-RB S922BF GT42043 ST-RB S922EF GT42044 GT42034 ST-RB S926CHF GT42037 ST-RB S123XF GT42031 ST-RB S1122BF GT42032 ST-RB S1122EF GT42030 ST-RB S1122AF GT42035 ST-RB S1126CHF WOOD CUTTING GT42042 ST-RB S644D GT42040 ST-RB S2345X GT42038 ST-RB S1531L **WOOD & METAL CUTTING** GT42045 ST-RB S922HF GT42041 ST-RB S3456XF GT42033 ST-RB S1122HF GT42036 ST-RB S1222VF GT42046 ST-RB S1411DF **SPECIALIST** ST-RB S1543HM GT42039

RECIPROCATING SAW BLADES

METAL CUTTING

Part No.: GT42043 Spec: ST-RB S922BF Similar To: S922BF

Application: Flexible Metal Cutting
Overall Length & TPI: 150mm/14TPI

Blade Material & Thickness: BIM/0.96mm

Part No.: GT42044 Spec: ST-RB S922EF Similar To: S922EF

Application: Flexible Metal Cutting
Overall Length & TPI: 150mm/18TPI

Blade Material & Thickness: BIM/0.96mm

Description:

This flexible, bi-metal blade is designed to cut through thicker gauge steel and non-ferrous metals from 2.5mm to 8mm thick, and is suitable for use on sheet metals, pipes and profiles. (Maximum working depth 100mm)



List Price: £13.15 (Pack of 5)

Wiew Online

Description:

Designed to cut through the most common wall thicknesses of steel and non-ferrous metals, from 1.5mm to 4mm thick. The blade's flexibility makes it ideal for flush cutting on materials such as sheet metals, pipes and profiles. (Maximum working depth 100mm)



List Price: £13.15 (Pack of 5)





Part No.: GT42034 Spec: ST-RB S926CHF Similar To: S926CHF

Application: Heavy Duty Metal Cutting Overall Length & TPI: 152mm/8-10TPI Blade Material & Thickness: BIM/1.1mm

Part No.: GT42037 Spec: ST-RB S123XF Similar To: S123XF

Application: Progressive Metal Cutting Overall Length & TPI: 152mm/8-18TPI Blade Material & Thickness: BIM/0.96mm

Part No.: GT42031 Spec: ST-RB S1122BF Similar To: S1122BF

Application: Flexible Metal Cutting Overall Length & TPI: 228mm/14TPI

Blade Material & Thickness:

BIM/0.96mm

Part No.: GT42032 Spec: ST-RB S1122EF Similar To: S1122EF

Application: Flexible Metal Cutting Overall Length & TPI: 228mm/18TPI Blade Material & Thickness: BIM/0.96mm

Part No.: GT42030 Spec: ST-RB S1122AF Similar To: S1122AF

Application: Flexible Metal Cutting Overall Length & TPI: 228mm/24TPI Blade Material & Thickness: BIM/0.96mm

Part No.: GT42035 Spec: ST-RB S1126CHF Similar To: S1126CHF

Application: Heavy Duty Metal Cutting Overall Length & TPI: 228mm/12TPI Blade Material & Thickness: BIM/1.1mm

Description:

This heavy duty blade cuts effortlessly through thick guage metals from 4mm to 12mm thick. It delivers precise, straight cuts through materials such as steel, stainless steel, cast iron, pipes and profiles. (Maximum working depth 100mm)



List Price: £26.30 (Pack of 5)



Description:

The progressively increasing tooth pitch provides fast cutting through a wide range of steel and non-ferrous metal products such as pipes and profiles with a wall thickness from 1mm to 8mm. (Maximum working depth 100mm)



List Price: £13.15 (Pack of 5)



Description:

This flexible, bi-metal blade is designed to cut through thicker gauge steel and non-ferrous metals from 2.5mm to 8mm thick, and is suitable for use on sheet metals, pipes and profiles. (Maximum working depth 175mm)



List Price: £17.90 (Pack of 5)



Description:

Designed to cut through the most common wall thicknesses of steel and non-ferrous metals from 1.5mm to 4mm thick. The blade's flexibility makes it ideal for flush cutting materials such as sheet metals, pipes and profiles. (Maximum working depth 175mm)



List Price: £17.90 (Pack of 5)



Description:

The fine tooth pitch and high TPI of this blade give a reliable and clean cut through thin guage steel and non-ferrous metals up to 2mm thick. The flexibility of the blade makes it ideal for flush cutting in materials such as sheet metals, pipes and profiles. (Maximum working depth 175mm)



List Price: £17.90 (Pack of 5)



Description:

This heavy duty blade cuts effortlessly through thick guage metals from 4mm to 12mm. It delivers precise, straight cuts through materials such as steel, stainless steel, cast iron, pipes and profiles. (Maximum working depth 175mm)



List Price: £37.90 (Pack of 5)



RECIPROCATING SAW BLADES

WOOD CUTTING

Part No.: GT42042 Spec: ST-RB S644D Similar To: S644D

Application: Coarse Wood Cutting
Overall Length & TPI: 152mm/6TPI

Blade Material & Thickness: HCS/1.3mm

Part No.: GT42040 Spec: ST-RB S2345X Similar To: S2345X

Application: Progressive Wood Cutting
Overall Length & TPI: 203mm/6-10TPI
Blade Material & Thickness: HCS/1.2mm

Part No.: GT42038 Spec: ST-RB S1531L Similar To: S1531L

Application: Green Wood Cutting
Overall Length & TPI: 240mm/5TPI
Blade Material & Thickness: HCS/1.3mm

Description:

Delivering a fast and efficient performance, this blade is ideal for curved cutting and plunging into wood-based products such as softwood, construction timber, chipboard, MDF and plywood. (Maximum cutting depth 100mm)



List Price: £10.10 (Pack of 5)



Description:

The progressive pitch and variable TPI of the blade provides clean, fast cutting of construction timber and softwoods, as well as chipboard, MDF and plywood. The pointed tip allows the blade to be plunged into the material with ease. (Maximum cutting depth 150mm)



List Price: £18.90 (Pack of 5)



Description:

Designed for pruning. The blade's large 5mm gullets remove waste material rapidly, significantly reducing clogging, and maintaining a fast and effective cutting speed. This blade can also be used for the fast cutting of construction timber that is free of nails and foreign bodies. (Maximum cutting depth 190mm)



RECIPROCATING SAW BLADES

WOOD & METAL CUTTING

Part No.: GT42045 Spec: ST-RB S922HF Similar To: S922HF

Application: Flexible Wood & Metal Cutting

Overall Length & TPI: 150mm/10TPI

Blade Material & Thickness: BIM/0.96mm

Part No.: GT42041 Spec: ST-RB S3456XF Similar To: S3456XF

Application: Progressive Wood &

Metal Cutting

Overall Length & TPI: 203mm/6-10TPI
Blade Material & Thickness: BIM/1.25mm

Description:

Ideal for use in the repair of or cutting up of wooden pallets, the blade's bi-metal construction allows it to cut through the wood and nails with ease. Its flexible nature means that the blade can be used to flush cut through the joints. (Maximum working depth 100mm)



List Price: £13.15 (Pack of 5)



Description:

The progressively increasing tooth pitch ensures that the blade performs equally in both softer and harder materials, including nail/metal embedded wood and construction timber to its maximum working depth, non-ferrous metals between 2.2mm and 4.6mm thick, as well as plastic-based products to 12mm in thickness. (Maximum working depth 150mm)



List Price: £20.95 (Pack of 5)





RECIPROCATING SAW BLADES

WOOD & METAL CUTTING

Part No.: GT42033 Spec: ST-RB S1122HF Similar To: S1122HF

Application: Flexible Wood &

Metal Cutting

Overall Length & TPI: 228mm/10TPI

Blade Material & Thickness: BIM/0.96mm

Part No.: GT42036 Spec: ST-RB S1222VF Similar To: S1222VF

Application: Flexible Wood &

Metal Cutting

Overall Length & TPI: 300mm/10-14TPI Blade Material & Thickness: BIM/0.96mm

Part No.: GT42046 Spec: ST-RB S1411DF Similar To: S1411DF

Application: Heavy Duty Wood

& Metal Cutting

Overall Length & TPI: 300mm/6TPI

Blade Material & Thickness: BIM/1.27mm

Description:

Ideal for use in the repair of and cutting up of wooden pallets. The blade's bi-metal construction allows it to cut through wood and nails with ease. Its flexible nature means that the blade can be used to cut flush through the pallet's joints. (Maximum working depth 175mm)



List Price: £17.90 (Pack of 5)



Description:

Optimised for use in the repair of and cutting up of wooden pallets. The blade's variable TPI provides a smooth cut with minimal vibration. Its additional length and flexible nature means that the blade can be used to cut flush through the pallet's joints to a depth of 250mm. (Maximum cutting depth 250mm)



List Price: £22.55 (Pack of 5)



Description:

This heavy duty and versatile blade delivers fast, efficient cuts through materials such as nail and metal embeded wood, chipboard and timber up to 250mm, and Glass Reinforced Plastic and Epoxy up to 60mm. (Maximum working depth 250mm)



List Price: £26.35 (Pack of 5)



RECIPROCATING SAW BLADES

SPECIALIST

Part No.: GT42039 Spec: ST-RB S1543HM Similar To: S1543HM

Application: Masonry Cutting

Overall Length & TPI: 240mm/2TPI

Blade Material & Thickness:

Carbide/1.5mm

Description:

The tungsten carbide teeth cut effortlessly through lightweight bricks and blocks such as Thermalite, Toplite and Celcon blocks up to 3.6Nm² (Maximum cutting depth 190mm)



List Price: £24.00 (Each)



TERMS & CONDITIONS

Premier Diamond Products Ltd Terms & Conditions of sale apply to every product detailed in this Price List. A copy of the Terms and Conditions is available on request. All goods remain the property of **Premier Diamond Products Ltd** until paid in full.

Standard Payment Terms - 30 days after the end of the month in which the goods were invoiced. (30 days EOM).

Shortages - In the event of goods being short-delivered, PDP require notification within 7 working days of the delivery date. After this period the delivery will be deemed complete.

Returns Policy - Products ordered in error are only accepted back providing they are in a saleable condition, and any return shipping cost is paid.

Restocking Charge - PDP reserve the right to apply a 20% restocking charge.

Specially made products will not be accepted back.

PDP have no minimum order charge.

Prices detailed in this Price List are correct at the time of going to print, but can change without prior notice. VAT is charged extra at the prevailing rate.

SHIPPING & CARRIAGE CHARGE

Service	Cost
Next day delivery on orders over £150.00 nett	Free
Next day delivery on orders below £150.00 nett	£9.25
Pre noon delivery on orders over £150.00 nett (Mon – Fri)	£6.50
Pre noon delivery on orders below £150.00 nett (Mon – Fri)	£15.75
Pre 10.30 delivery on orders over £150.00 nett (Mon – Fri)	£15.00
Pre 10.30 delivery on orders below £150.00 nett (Mon – Fri)	£24.25
Saturday delivery	£37.75
Direct deliveries	At the above rates
Same day delivery (Mainland UK)	POA
Northern Ireland on orders under £250.00 nett (2-day service)	£17.50
Ireland, Channel Isles, Europe & ROW	POA

PDP's cut-off point for same day dispatch is 4:00pm. Shipments are sent using web-based tracking services, allowing consignments to be tracked online.



Premier Diamond Products Limited

Unit 10 The Boulevard | Altira Park Herne Bay | Kent CT6 6GZ | UK

+44 (0) 1227 711 555sales@premierdiamondproducts.co.uk

