




# LAMINATE JIGSAW BLADE (T-SHANK)

## ST-JSB T101BIF



☒ IDEALLY SUITED ☐ UNSUITABLE  
☒ OCCASIONAL USE

### MATERIALS

ALUMINIUM	
CHIPBOARD	
CONSTRUCTION TIMBER	
FIBRE BOARD (MDF)	
FIBRE CEMENT BOARD	
GLASS FIBRE REINFORCED PLASTIC (GRP)	
LAMINATE	
NAIL EMBEDDED WOOD	
NON FERROUS METALS (COPPER, ZINC, LEAD)	
PLASTER BOARD	
PLASTIC (PVC)	
PLYWOOD	
STEEL SECTION (PIPE, ANGLE, BOX)	
STEEL SHEET	
WOOD - CLEAN HARDWOOD	
WOOD - CLEAN SOFTWOOD	

### DESCRIPTION:

With a tooth spacing of 1.7mm, 15 TPI and tapered shape, the ST-JSB T101BIF delivers straight, clean cuts through laminated products <15mm thick and hardwoods, with a thickness of upto 30mm

### FEATURES:

- Bi-Metal blade construction
- High Speed Steel (HSS) Teeth, bonded with a High Carbon Steel (HCS) body
- Precision-ground teeth, with a Taper-ground body
- Long Life

### MACHINE SUITABILITY:

All T-shank Jigaws, inc Makita, Bosch, Dewalt, Festool, Erbauer & Hikoki

### PRODUCT DETAILS:

PART NO.	SIMILAR TO	PACK QTY.	BLADE MATERIALS & THICKNESS	OVERALL LENGTH	TOOTH SPACING & TPI	APPLICATIONS
GT42004	T101BIF	5	BIM/ 1.27mm	82mm/56mm	1.7mm/ 15TPI	Laminate <15mm & Wood up to 30mm Thick

### FINISH:

Clean

### PACKAGING DETAILS:

Full colour cardboard sleeve.



### USER TIPS:

- Ensure you select the correct blade for your task
- Disconnect the power/ remove the battery prior to fitting or removing a blade
- If you have a variable speed Jigsaw, select faster speeds for soft materials, and slower speeds for harder materials such as Steel
- If your Jigsaw has an oscillating option, this will increase the speed of cut, but reduce the finish quality.
- Always ensure that the foot plate is flat to the surface before cutting
- When starting a cut, make gentle contact with the material, forcing the cut will cause the blade to jump and damage the teeth
- Once you have completed your cut, wait for the blade to stop, before removing from the material
- Blades that cut on the up stroke will leave a feathered edge to the surface of the material, but are smoother and easier to use. Select a reverse cut/ down cut blade to ensure a clean finish to the cutting surface.



✉ sales@premierdiamondproducts.co.uk ☎ +44 (0) 1227 711 555

Another quality product from  
Premier Diamond Products  
ISO Certified Company

**PREMIER**  
DIAMOND PRODUCTS



Citation ISO Certification  
Quality management ISO 9001

Citation ISO Certification  
Environmental management ISO 14001

Citation ISO Certification  
Occupational Health & Safety ISO 45001

www.premierdiamondproducts.co.uk